



Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

November 18, 2004

CO/C

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
DEC 02 2004
of Correction

Re: United States Patent for
Apparatus And Methods For Filling Containers With Pills
Application No. 10/717,994; Filed November 20, 2003
Patent No. 6,799,413; Issued October 5, 2004
Our File 034976/271439

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

Nicholas F. Gallo
Registration No. 50,135

NFG:mf
Enclosures
CLT01/4681385v1

DEC 06 2004

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,799,413 B2
DATED : October 5, 2004
INVENTOR(S) : Aylward

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12,

Line 4, "plows" should read --plow--;
Line 11, "slate" should read --slat--;
Line 54, cancel "said".

Column 13,

Lines 5, 21, 22, "slats" should read --slat--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-82)

PATENT NO. 6,799,413 B2

No. of add'l. copies
@ 30¢ per page



DEC 06 2004

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,799,413 B2
DATED : October 5, 2004
INVENTOR(S) : Aylward

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12,

Line 4, "plows" should read --plow--;
Line 11, "slate" should read --slat--;
Line 54, cancel "said".

Column 13,

Lines 5, 21, 22, "slats" should read --slat--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-82)

PATENT NO. 6,799,413 B2

No. of add'l. copies
@ 30¢ per page



DEC 06 2004